

CETRA 2016

4th International Conference on Road and Rail Infrastructure
23-25 May 2016, Šibenik, Croatia

Road and Rail Infrastructure IV

Stjepan Lakušić – EDITOR



Organizer
University of Zagreb
Faculty of Civil Engineering
Department of Transportation



CETRA²⁰¹⁶

4th International Conference on Road and Rail Infrastructure
23–25 May 2016, Šibenik, Croatia

TITLE

Road and Rail Infrastructure IV, Proceedings of the Conference CETRA 2016

EDITED BY

Stjepan Lakušić

ISSN

1848-9850

PUBLISHED BY

Department of Transportation
Faculty of Civil Engineering
University of Zagreb
Kačićeva 26, 10000 Zagreb, Croatia

DESIGN, LAYOUT & COVER PAGE

minimum d.o.o.
Marko Uremović · Matej Korlaet

PRINTED IN ZAGREB, CROATIA BY

“Tiskara Zelina”, May 2016

COPIES

400

Zagreb, May 2016.

Although all care was taken to ensure the integrity and quality of the publication and the information herein, no responsibility is assumed by the publisher, the editor and authors for any damages to property or persons as a result of operation or use of this publication or use the information's, instructions or ideas contained in the material herein.

The papers published in the Proceedings express the opinion of the authors, who also are responsible for their content. Reproduction or transmission of full papers is allowed only with written permission of the Publisher. Short parts may be reproduced only with proper quotation of the source.

Proceedings of the
4th International Conference on Road and Rail Infrastructures – CETRA 2016
23–25 May 2016, Šibenik, Croatia

Road and Rail Infrastructure IV

EDITOR

Stjepan Lakušić
Department of Transportation
Faculty of Civil Engineering
University of Zagreb
Zagreb, Croatia

CETRA²⁰¹⁶

4th International Conference on Road and Rail Infrastructure

23–25 May 2016, Šibenik, Croatia

ORGANISATION

CHAIRMEN

Prof. Stjepan Lakušić, University of Zagreb, Faculty of Civil Engineering
Prof. emer. Željko Korlaet, University of Zagreb, Faculty of Civil Engineering

ORGANIZING COMMITTEE

Prof. Stjepan Lakušić	Assist. Prof. Maja Ahac	All members of CETRA 2016 Conference Organizing Committee are professors and assistants of the Department of Transportation, Faculty of Civil Engineering at University of Zagreb.
Prof. emer. Željko Korlaet	Ivo Haladin, PhD	
Prof. Vesna Dragčević	Josipa Domitrović, PhD	
Prof. Tatjana Rukavina	Tamara Džambas	
Assist. Prof. Ivica Stančerić	Viktorija Grgić	
Assist. Prof. Saša Ahac	Šime Bezina	

INTERNATIONAL ACADEMIC SCIENTIFIC COMMITTEE

Davor Brčić, University of Zagreb
Dražen Cvitanić, University of Split
Sanja Dimter, Josip Juraj Strossmayer University of Osijek
Aleksandra Deluka Tibljaš, University of Rijeka
Vesna Dragčević, University of Zagreb
Rudolf Eger, RheinMain University
Makoto Fujii, Kanazawa University
Laszlo Gaspar, Institute for Transport Sciences (KTI)
Kenneth Gavin, University College Dublin
Nenad Gucunski, Rutgers University
Libor Izvolt, University of Zilina
Lajos Kisgyörgy, Budapest University of Technology and Economics
Stasa Jovanovic, University of Novi Sad
Željko Korlaet, University of Zagreb
Meho Saša Kovačević, University of Zagreb
Zoran Krakutovski, Ss. Cyril and Methodius University in Skopje
Stjepan Lakušić, University of Zagreb
Dirk Lauwers, Ghent University
Dragana Macura, University of Belgrade
Janusz Madejski, Silesian University of Technology
Goran Mladenović, University of Belgrade
Tomislav Josip Mlinarić, University of Zagreb
Nencho Nenov, University of Transport in Sofia
Mladen Nikšić, University of Zagreb
Dunja Perić, Kansas State University
Otto Plašek, Brno University of Technology
Carmen Racanel, Technological University of Civil Engineering Bucharest
Tatjana Rukavina, University of Zagreb
Andreas Schoebel, Vienna University of Technology
Adam Szelaż, Warsaw University of Technology
Francesca La Torre, University of Florence
Audrius Vaitkus, Vilnius Gediminas Technical University



MODELLING TRAVEL BEHAVIOR OF RAILWAY PASSENGERS UNDER TRAVEL TIME UNCERTAINTY

Kazuyuki Takada, Kota Miyauchi
Tokyo Denki University, Japan

Abstract

Reliability of travel time affects travel behavior such as departure time decision, transportation mode choice and also route choice. Therefore, the influence of travel time uncertainty of urban railway on railway commuters was focused on in this study.

Internet survey was conducted to collect data from railway commuters living in Tokyo metropolitan area. Stated preference for railway service was executed in the survey. Four alternatives were presented to the respondent and each respondent was requested to choose the most preferable service. Average travel time, shortest travel time, longest travel time uncertainty, variability of travel time, congestion level in a vehicle and fare were considered as the compared factors. Meanwhile, it is thought that extent of interest in travel time reliability depends on trip purpose. Therefore, four kinds of trip purpose were considered in the survey. Four kinds of trip purpose were to commute, to attend business meeting, to go shopping and to go to airport. The data obtained by the stated preference choice experiments was used for parameter estimation of railway service choice model. At first, multinomial logit model were estimated by trip purpose and the weight for the travel time uncertainty was verified.

Subsequently, latent class logit model was estimated and the validity of considering multi-class to estimate choice behavior model was examined. According to the Bayesian information criterion, it was demonstrated that latent class logit model was more useful to explain the choice behavior in travel for shopping and going to airport.

Keywords: travel time reliability, stated preference survey, choice model, latent class model

1 Introduction

Reliability of travel time is one of the factors affecting travel behavior such as departure time decision, transportation mode choice and route choice. Therefore, travel time reliability of urban railway in Tokyo metropolitan area was focused on in this study and influence of the uncertainty of travel time on travel behavior of railway passenger was quantitatively analyzed. Internet survey was conducted by utilizing a commercial net-survey services. Targeted respondents of the survey were people commuting by rail. The number of samples was 1000. Stated preference choice experiments of urban railway service was executed in the survey. Travel time, uncertainty of the travel time, walking time from arrived station to destination, fare and congestion level were considered as the variables determining level of service.

Using the choice result data, disaggregate choice model such as multinomial logit model and latent class logit model were estimated. As a result, it became clear that a negative evaluation for the travel time uncertainty is larger when people goes to airport and business meeting than when people goes to office and shopping.

2 Questionnaire survey

2.1 Outline of survey

Internet survey was conducted in this study. Survey monitors contracted with a commercial survey company were respondents of the survey. Screening of the monitors was executed to select appropriate respondents to the survey. The respondents were railway commuters living in Tokyo metropolitan area. Outline of the survey is described in Table 1. Main question item for this study is stated preference experiments regarding railway service choice. The details of the experiment are described in the following section.

Table 1 Outline of the survey

Dates	28, 29 March 2015
Targeted railway users	Commuter using railway Frequent railway user (more than 5 day a week) Residents in Tokyo metropolitan area
Question items	Socio-economic attributes Current status of railway use (origin and destination, transit station, frequency of railway use, estimates of travel time, desired arrival time at arrival station, departure time, distribution of arrival time, encounter the delay of railway operation, etc.) Stated preference experiments (under supposed eight scenarios)
Samples	1000

2.2 Stated preference experiments

A stated preference experiment is useful survey method to collect data when revealed preference data does not exist. Many previous studies conducted stated preference experiment in order to develop a travel behavior model.

For example, Basu et al. conducted stated preference experiment to capture the data of sub-urban train mode choice behavior and estimated choice model using different modelling techniques such as multinomial logit and mixed logit model [1]. Meanwhile, Mabit et al. focused on the international long-distance travel preferences related to travel between Scandinavia and Central Europe. They conducted stated preference survey to collect data in order to develop a discrete choice model estimating the value of travel time savings of long-distance travellers [2]. Carrion et al. reviewed many previous studies investigating travel time variability and conducting stated preference experiment [3]. In this study, a stated preference experiment was also conducted and obtained data was used to estimate discrete choice model regarding urban railway service choice.

Table 2 Summary of the attributes and levels used in the choice experiment

Average travel time	40 min, 45 min, 47 min
Shortest travel time	30 min, 35 min, 40 min, 45 min
Longest travel time	45 min, 50 min
Standard deviation of travel time	0 min, 4.47 min, 8.94 min
Walking time from station to destination	2 min, 5 min
Congestion ratio in the vehicle	100%, 200%
Fare	JPY 500, JPY 800

In the experiments, average travel time, shortest travel time, longest travel time, variability of travel time, walking time from arrived station to final destination, congestion level in vehicle

and fare were considered as the variables determining level of service. The design of stated preference experiment was executed by setting appropriate value for each variable. Table 2 shows the adopted value for the experiment.

Meanwhile, Figure 1 and 2 show the questionnaire used for the choice experiments. Four services having different level of service were presented to each respondent and the respondent was requested to choose most preferable service. The experiment was conducted two times for each trip purpose so that totally every respondent answered eight questions.




Figure 1 Stated preference experiment (business meeting)




Figure 2 Stated preference experiment (for going to airport)

Choice experiment was executed two times for each trip purpose. Table 3 shows the result of the choice experiments. Value in the table indicates the number of respondent choosing each alternative. Each alternative is sorted in order of having high chosen ratio. As shown in the table, more than half respondent chose certain alternatives. However, other alternatives were also chosen in all experiments. It indicates the existence of the heterogeneity of the preference for railway service.

Table 3 Results of the choice experiments

Experiments	Most high ratio	2 nd most	3 rd most	4 th most
1. Commuting (1 of 2)	640	185	118	57
2. Commuting (2 of 2)	593	196	131	80
3. Business meeting (1/2)	667	201	69	63
4. Business meeting (2/2)	618	186	126	70
5. Shopping (1/2)	411	247	205	137
6. Shopping (2/2)	571	191	172	66
7. Going to airport (1 of 2)	452	322	119	107
8. Going to airport (2 of 2)	539	282	117	62

3 Estimation of choice model

3.1 Multinomial logit model

At first, multinomial logit model was applied to estimate coefficients of service choice model. The considered explanatory variables alter by trip purpose. Average travel time (ATT), shortest travel time (STT), longest travel time (LTT), standard deviation of travel time (SDTT) and walking time from arrival station to destination (WTSD) were considered in the model of business purpose trip. In addition to the variable for the model of business trip, congestion level in vehicle (CLV), and fare (FARE) were considered in the model for personal trip. Table 4 shows the result of parameter estimation for each trip purpose. Appropriateness of sign and statistical significance were confirmed. The column of t-test shows the statistical significance level. The asterisks * and ** indicate that the coefficients are statistically different from zero at the 5% and 1% level respectively.

Table 4 Estimation of multinomial logit model (MNL)

Purpose	Commuting	Business Meeting	Shopping	Going to airport
ATT (min.)	-0.69 *	-0.53 *	-0.82 **	-0.38 *
STT (min.)	-0.07	-0.08	-2.53 **	-0.08
LTT (min.)	-0.23 *	-0.09	-1.31 *	-0.19 *
SDTT (min.)	-3.52 **	-7.13 **	-0.33	-4.56 **
FARE (JPY 100)	-	-	-0.38 *	-0.26 *
CLV (100%)	-	-	-0.25 *	-0.10
Log-likelihood	-2119	-2031	-2428	-2329
Adjusted R-squareds	0.23	0.27	0.12	0.16
Hit ratio	61.7%	64.3%	49.1%	49.6%
Observations	2000	2000	2000	2000

*: 0.05 significance level **: 0.01 significance level

Here, the relation between trip purpose and evaluation for travel time uncertainty is examined. Sign of the coefficient of SDTT are minus for all trip purpose. It demonstrates the existence of negative evaluation for the travel time uncertainty. Coefficient of STDD of the model for shopping is not significant. According to the largeness of the coefficients for other three models, people take care of the travel time uncertainty especially for going to business meeting. Meanwhile, the explanatory power of the models for shopping and going to airport are lower than other models for commuting and business meeting. It is thought that one of the reasons is no consideration of the heterogeneity of the preference for the service. Therefore the latent class model (LCM) was adopted to consider the heterogeneity by referring previous studies [4-7].

3.2 Latent class logit model

The latent class model with different numbers of segments was estimated and model performance was assessed in order to determine the best number of segments. In this study, the minimum Bayesian information criterion (BIC) was adopted as the indicator [8]. BIC is defined as $-2 \cdot \ln(L) + K \cdot \ln(N)$, where L is the likelihood value, K is the number of parameters and N is the sample size. Table 5 shows the BIC of the LCM and it indicates that the best number of segments are 1, 1, 2 and 2 for the model of commuting, business meeting, shopping and going to airport respectively.

Table 6 shows the estimation result of the LCM for shopping and going to airport. As shown in the table, a model was estimated for each class. The size of class is shown in the table. Moreover, hit ratio increases by applying LCM which means that the validity of the LCM is verified.

Table 5 BIC of LCM by trip purpose and number of classes.

Number of classes	Commuting	Meeting	Shopping	Airport
1	4445.6	4291.5	5160.2	5225.1
2	4473.3	4328.2	5132.1	5181.4
3	4499.8	4364.9	5202.1	5265.5
4	4532.1	4401.9	5226.7	5297.2

Table 6 Estimation of latent class mode (LCM)

Purpose	Shopping		Going to Airport	
	Class-1	Class-2	Class-1	Class-2
ATT (min.)	-0.54 *	-1.11 **	-0.33 *	-0.36 *
STT (min.)	-0.86 *	-2.32 **	-0.18	-0.13
LTT (min.)	-0.21	-1.84 *	-0.12	-0.09
SDTT (min.)	-1.94 **	-0.82	-4.65 **	-2.63 **
FARE (JPY 100)	-0.23	-0.40 *	-0.35 *	-0.12
CLV (100 %)	-0.78 **	-0.38	-0.61 *	-0.14
Latent class size	67.1%	32.9%	76.2%	23.8%
Hit ratio	64.5%		63.1%	
Observations	2000		2000	

*: 0.05 significance level **: 0.01 significance level

Each class of the model for shopping is examined. The significant coefficients are different in each model. Class-1 considers travel time uncertainty but Class-2 does not do so. Meanwhile, Class-2 considered fare.

Similarly, each class of the model for going to airport is examined. Class 1 considers the travel time uncertainty stronger than Class-2. Moreover, Class-1 takes care of fare and congestion level.

4 Conclusion

In this study, the travel time uncertainty of railway service was focused on. In order to examine the evaluation of railway user to the uncertainty, discrete choice mode was developed. To estimate the parameter of the choice model, internet questionnaire survey was conducted and stated preference experiment was executed in the survey.

The choice model was developed by trip purpose. Four kinds of situation such as commuting, attending business meeting, shopping, and going to airport were considered.

The multinomial logit model was developed and it becomes clear that the traveller going to business meeting mostly consider the travel time uncertainty.

Meanwhile, both models for shopping and for going to airport did not present enough explanatory power as indicated by the hit ratio so that the latent class model was adopted to develop the model that can consider the heterogeneity of the preference for railway service. According to the BIC, it was indicated that the best number of segment is two for both trip purposes. Then the latent class model with two classes was estimated and evaluated. Finally, it was verified that the latent class logit model can predict choice result more precisely in case for shopping and going to airport.

References

- [1] Basu, D., Douglas, Hunt, J.D.: Valuing of attributes influencing the attractiveness of suburban train service in Mumbai city: A stated preference approach, *Transportation Research Part A: Policy and Practice*, 46, pp. 1465-1476, 2012.
- [2] Mabit, S.L., Rich, J., Burge, P., Potoglou, D.: Valuation of travel time for international long-distance travel – results from the Fehmarn Belt stated choice experiment, *Journal of Transport Geography*, 33, pp. 153-161, 2013.
- [3] Carrion, C., Levinson, D.: Value of travel time reliability: A review of current evidence, *Transportation Research Part A: Policy and Practice*, 46, pp. 720-741, 2012.
- [4] Boxall, P. C., Adamowicz, W.: Understanding heterogeneous preferences in random utility models: a latent class approach, *Environmental and Resource Economics*, 23, pp. 421–446, 2002.
- [5] Lee, B., Timmermans, H.J.P.: A latent class accelerated hazard model of activity episode durations, *Transportation Research Part B: Methodological*, 41, pp. 426-447, 2007.
- [6] Wen, C., Wang, W., Fu, C.: Latent class nested logit model for analysing high-speed rail access mode choice, *Transportation Research Part E: Logistics and Transportation Review*, 48, pp. 545-554, 2012.
- [7] Koster, P.R., Koster, H. R.A.: Commuters' preferences for fast and reliable travel: A semi-parametric estimation approach, *Transportation Research Part B: Methodological*, 81, pp. 289-301, 2015.
- [8] Walker, J.L., Li, J.: Latent lifestyle preferences and household location decisions. *Journal of Geographical Systems*, 9, pp. 77–101, 2007.